

according to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

PORCIBROM

SDS Number: RS_000001800

Date of last issue: 02/10/2020 Version Revision Date: Print Date: 03/04/2020 Date of first issue: 02/10/2020 02/09/2021 1.1

SECTION 1. IDENTIFICATION

: PORCIBROM Product name

Substance name 1,3-dibromo-5,5-dimethylhydantoin

CAS-No. 77-48-5

Manufacturer or supplier's details

Company name of supplier Albemarle Corporation

Address 4250 Congress Street, Suite 900

Charlotte, NC 28209

United States of America (USA)

Telephone 980.299.5700

Telefax 980.299.5512

Emergency telephone : +32 (0) 70-233-201 (EUROPE)

(+1)225-344-7147 (US and WORLDWIDE)

+65-6733-1661 (ASIA PACIFIC) +86-532-8388-9090 (CHINA)

+61 2 8014 4558 or 18000 74234 (Australia)

Contact person product safe- : DEPARTMENT OF PRODUCT SAFETY

E-mail address PRODUCTSAFETY@ALBEMARLE.COM

Recommended use of the chemical and restrictions on use

Recommended use

Pork carcass antimicrobial

Restrictions on use : Use only in closed systems.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Oxidizing solids : Category 3

Corrosive to Metals Category 1



according to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

PORCIBROM

SDS Number: RS_000001800

 Version
 Revision Date:
 Date of last issue: 02/10/2020
 Print Date:

 1.1
 03/04/2020
 Date of first issue: 02/10/2020
 02/09/2021

Acute toxicity (Oral) : Category 4

Skin irritation : Category 2

Eye irritation : Category 2A

Short-term (acute) aquatic

hazard

Category 1

GHS label elements

Hazard pictograms









Signal Word : Warning

Hazard Statements : H272 May intensify fire; oxidizer.

H290 May be corrosive to metals. H302 Harmful if swallowed. H315 Causes skin irritation.

H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

Precautionary Statements

Prevention:

P210 Keep away from heat.

P220 Keep/Store away from clothing/ combustible materials. P221 Take any precaution to avoid mixing with combustibles.

P234 Keep only in original container. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention

P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alco-

hol-resistant foam to extinguish.



according to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

PORCIBROM

SDS Number: RS_000001800

 Version
 Revision Date:
 Date of last issue: 02/10/2020
 Print Date:

 1.1
 03/04/2020
 Date of first issue: 02/10/2020
 02/09/2021

P390 Absorb spillage to prevent material damage.

P391 Collect spillage.

Storage:

P406 Store in corrosive resistant container with a resistant inner

liner.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance name : 1,3-dibromo-5,5-dimethylhydantoin

CAS-No. : 77-48-5

Components

Chemical name	CAS-No.	Concentration (% w/w)
1,3-dibromo-5,5-dimethylhydantoin	77-48-5	>= 90 - <= 100

SECTION 4. FIRST AID MEASURES

General advice : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Ensure that eyewash stations and safety showers are close to

the workstation location.

If inhaled : IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing. If breathing is difficult, give oxygen.

If breathing is irregular or stopped, administer artificial

respiration.

Keep the victim calm and in a semi-upright position.

Consult a physician.

In case of skin contact : IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/ shower. If symptoms persist, call a physician.

In case of eye contact : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.



according to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

PORCIBROM

SDS Number: RS_000001800

 Version
 Revision Date:
 Date of last issue: 02/10/2020
 Print Date:

 1.1
 03/04/2020
 Date of first issue: 02/10/2020
 02/09/2021

If swallowed : IF SWALLOWED: Call a POISON CENTER or doctor/

physician if you feel unwell.

Most important symptoms and effects, both acute and

delayed

Irritation
See Section 2.

Notes to physician : Treat symptomatically.

For specialist advice physicians should contact the Poisons

Information Service.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide (CO2)

Dry chemical Foam Water mist

Unsuitable extinguishing

media

No information available.

Specific hazards during fire

fighting

May release toxic, irritating and/or corrosive gases.

In the event of fire and/or explosion do not breathe fumes.

Hazardous combustion prod- :

ucts

Bromine Carbon oxides

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Wear full protective clothing and self-contained breathing

apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Avoid dust formation.

Ensure adequate ventilation. Evacuate personnel to safe areas. Wear personal protective equipment.

Environmental precautions : Avoid release to the environment.

Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up

Pick up and transfer to properly labeled containers.

Clean contaminated floors and objects thoroughly while

observing environmental regulations.

Do not flush with water.



according to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

PORCIBROM

SDS Number: RS_000001800

Version Revision Date: Date of last issue: 02/10/2020 Print Date: 03/04/2020 Date of first issue: 02/10/2020 02/09/2021 1.1

Do not empty into drains.

SECTION 7. HANDLING AND STORAGE

fire and explosion

Advice on protection against : No special protective measures against fire required.

Advice on safe handling : Avoid dust accumulation in enclosed space.

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid contact with skin and eyes.

Wash hands and face before breaks and immediately after

handling the product.

For personal protection see section 8.

In general, emissions are controlled and prevented by implementing an appropriate management system, including

regular informing and training workers.

Conditions for safe storage Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Protect from moisture.

Mechanical ventilation is recommended. Local exhaust is needed at source of dust.

May be corrosive to metals.

Store in corrosive resistant container with a resistant inner

liner.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

This substance should be handled under strictly controlled **Engineering measures**

conditions as specified in REACH regulation article 18(4). Site documentation to support safe handling arrangements in accordance with risk-based management system should be available at each manufacturing site. During the whole lifecycle all necessary measures should be undertaken to

minimize emissions and any resulting exposure.

Use product only in closed system.

Provide sufficient air exchange and/or exhaust in work

rooms.



according to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

PORCIBROM

SDS Number: RS_000001800

 Version
 Revision Date:
 Date of last issue: 02/10/2020
 Print Date:

 1.1
 03/04/2020
 Date of first issue: 02/10/2020
 02/09/2021

Use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : Respirator with a dust filter

Hand protection

Material : Gloves resistant to chemical permeation.

Remarks : Rubber gloves.

Eye protection : Wear safety glasses with side shields or goggles.

Skin and body protection : In case of skin contact or contamination of clothing,

protective clothing should be worn.

Protective measures : Handle in accordance with good industrial hygiene and safety

practice.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : white

Odor : halogen

Odor Threshold : No data available

pH : 6.7

Concentration: 1 %

Melting point/freezing point : 370 °F / 188 °C

Initial boiling point and boiling

range

No data available

Flash point : Not applicable solid

Evaporation rate : Negligible

Flammability (solid, gas) : The product is not flammable.

Flammability (liquids) : Not applicable



according to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

PORCIBROM

SDS Number: RS_000001800

 Version
 Revision Date:
 Date of last issue: 02/10/2020
 Print Date:

 1.1
 03/04/2020
 Date of first issue: 02/10/2020
 02/09/2021

Burning number : No data available

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Vapor pressure : < 0.1 hPa (77 °F / 25 °C)

Relative vapor density : No data available

Relative density : No data available

Density : ca. 1 g/cm3

Solubility(ies)

Water solubility : ca. 1 g/l

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : None.

Decomposition temperature : Stable up to the melting point.

Viscosity

Viscosity, dynamic : Not applicable solid

Viscosity, kinematic : Not applicable solid

Explosive properties : No chemical groups associated to explosive properties.

Oxidizing properties : May intensify fire; oxidizer.

Method: Regulation (EC) No. 440/2008, Annex, A.17

Self-heating substances : The substance or mixture is not classified as self heating.

Surface tension : Not applicable, solid

Sublimation point : Not applicable

Molecular weight : 285.92 g/mol

Metal corrosion rate : Corrosive to metals



according to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

PORCIBROM

SDS Number: RS_000001800

 Version
 Revision Date:
 Date of last issue: 02/10/2020
 Print Date:

 1.1
 03/04/2020
 Date of first issue: 02/10/2020
 02/09/2021

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : Avoid extremely high temperatures.

Keep away from open flames, hot surfaces and sources of

ignition.

Protect from moisture.

Incompatible materials : This product is a strong oxidizing and brominating agent.

Avoid contact with reducing agents, acids, ammoniacontaining products, organic materials (such as aldehydes and alcohols) and other oxidizing agents (such as calcium

hypochlorite).

Avoid contact with common metals such as aluminum, iron, copper, brass and steel. Contact with incompatible materials can promote the exothermic decomposition of the product.

Take any precaution to avoid mixing with combustibles.

Hazardous decomposition

products

Bromine

Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:

1,3-dibromo-5,5-dimethylhydantoin:

Acute oral toxicity : LD50 (Rat, female): 1,107 mg/kg

Acute inhalation toxicity : LC50 (Rat): 24.9 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg



according to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

PORCIBROM

SDS Number: RS_000001800

Version Revision Date: Date of last issue: 02/10/2020 Print Date: 1.1 03/04/2020 Date of first issue: 02/10/2020 02/09/2021

Skin corrosion/irritation

Components:

1,3-dibromo-5,5-dimethylhydantoin:

Species

Method According to a standard method

Result Irritating to skin.

Serious eye damage/eye irritation

Components:

1,3-dibromo-5,5-dimethylhydantoin:

Species

Result Irritating to eyes.

Method According to a standard method

Respiratory or skin sensitization

Components:

1,3-dibromo-5,5-dimethylhydantoin:

Routes of exposure Skin contact Species Guinea pig

Result Did not cause sensitization on laboratory animals.

Germ cell mutagenicity

Components:

1,3-dibromo-5,5-dimethylhydantoin:

Genotoxicity in vitro Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Germ cell mutagenicity -

: Not classified due to lack of data.

Assessment

Carcinogenicity

Components:

1,3-dibromo-5,5-dimethylhydantoin:

Carcinogenicity - Assess- : Not classified due to lack of data.

ment

IARC No ingredient of this product present at levels greater than or equal to 0.1% is



according to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

PORCIBROM

SDS Number: RS_000001800

 Version
 Revision Date:
 Date of last issue: 02/10/2020
 Print Date:

 1.1
 03/04/2020
 Date of first issue: 02/10/2020
 02/09/2021

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Components:

1,3-dibromo-5,5-dimethylhydantoin:

Reproductive toxicity - As- : Not classified due to lack of data.

sessment

STOT-single exposure

Components:

1,3-dibromo-5,5-dimethylhydantoin:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT-repeated exposure

Components:

1,3-dibromo-5,5-dimethylhydantoin:

Assessment : Not classified due to lack of data.

Aspiration toxicity

Components:

1,3-dibromo-5,5-dimethylhydantoin:

Not classified due to data which are conclusive although insufficient for classification.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

1,3-dibromo-5,5-dimethylhydantoin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.4 mg/l

Exposure time: 48 h



according to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

PORCIBROM

SDS Number: RS_000001800

 Version
 Revision Date:
 Date of last issue: 02/10/2020
 Print Date:

 1.1
 03/04/2020
 Date of first issue: 02/10/2020
 02/09/2021

Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.7 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test

M-Factor (Chronic aquatic

toxicity)

: 1

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Not classified due to lack of data.

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of contents/ container to an approved facility in

accordance with local, regional, national and international

regulations.

Contaminated packaging : Refer to manufacturer/ supplier for information on recovery/

recycling.



according to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

PORCIBROM

SDS Number: RS_000001800

 Version
 Revision Date:
 Date of last issue: 02/10/2020
 Print Date:

 1.1
 03/04/2020
 Date of first issue: 02/10/2020
 02/09/2021

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3085

Proper shipping name : OXIDIZING SOLID, CORROSIVE, N.O.S.

(1,3-dibromo-5,5-dimethylhydantoin)

Class : 5.1
Subsidiary risk : 8
Packing group : II
Labels : 5.1 (8)

IATA-DGR

UN/ID No. : UN 3085

Proper shipping name : Oxidizing solid, corrosive, n.o.s.

(1,3-dibromo-5,5-dimethylhydantoin)

Class : 5.1
Subsidiary risk : 8
Packing group : II

Labels : Oxidizer, Corrosive

Packing instruction (cargo

aircraft)

Packing instruction (passen: 558

ger aircraft)

IMDG-Code

UN number : UN 3085

Proper shipping name : OXIDIZING SOLID, CORROSIVE, N.O.S.

562

(1,3-dibromo-5,5-dimethylhydantoin)

Class : 5.1
Subsidiary risk : 8
Packing group : II
Labels : 5.1 (8)
EmS Code : F-A, S-Q
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3085

Proper shipping name : Oxidizing solid, corrosive, n.o.s.

(1,3-dibromo-5,5-dimethylhydantoin)

Class : 5.1
Subsidiary risk : 8
Packing group : II

Labels : OXIDIZER, CORROSIVE

ERG Code : 140



according to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

PORCIBROM

SDS Number: RS_000001800

 Version
 Revision Date:
 Date of last issue: 02/10/2020
 Print Date:

 1.1
 03/04/2020
 Date of first issue: 02/10/2020
 02/09/2021

Marine pollutant : yes(1,3-dibromo-5,5-dimethylhydantoin)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Oxidizer (liquid, solid or gas)

Corrosive to Metals

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307



according to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

PORCIBROM

SDS Number: RS_000001800

 Version
 Revision Date:
 Date of last issue: 02/10/2020
 Print Date:

 1.1
 03/04/2020
 Date of first issue: 02/10/2020
 02/09/2021

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

1,3-dibromo-5,5-dimethylhydantoin 77-48-5

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

EINECS : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On TSCA Inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.



according to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

PORCIBROM

SDS Number: RS_000001800


 Version
 Revision Date:
 Date of last issue: 02/10/2020
 Print Date:

 1.1
 03/04/2020
 Date of first issue: 02/10/2020
 02/09/2021

SECTION 16. OTHER INFORMATION


Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA - Comprehensive Environmental Response. Compensation. and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concern-



according to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

PORCIBROM

SDS Number: RS_000001800

 Version
 Revision Date:
 Date of last issue: 02/10/2020
 Print Date:

 1.1
 03/04/2020
 Date of first issue: 02/10/2020
 02/09/2021

ing the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 03/04/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8